



# SUN AGRO

FARMING FOR THE FUTURE



9001 : 2015 CERTIFIED



SUBSIDY AVAILABLE



PAN INDIA DISTRIBUTION



SPARE PARTS AVAILABLE

OUR BRANDS



SUN AGRO  
FARMING FOR THE FUTURE



Suitable for all Millets



## DEHUSKER CUM POLISHER

[ MODEL - SA-6LN5000 ]

POWER - 3/4/5 HP

CAPACITY - 100/150/200 KG/HR

## DEHUSKER CUM POLISHER

[ MODEL - SA-6LN5000B ]

POWER - 3/4/5 HP

CAPACITY - 100/150/200 KG/HR

## RICE MILL MACHINERY



SUN AGRO  
INDIA

## RICE MILL MACHINE

[ MODEL - SA-PT-220 ]

POWER - 4 HP SINGLE PHASE

CAPACITY - 300 KG/HR



SUN AGRO  
INDIA

## RICE MILL MACHINE

[ MODEL - SA-PT-350 ]

POWER - 4.5 HP

CAPACITY - 350 KG/HR

### OPTIONAL ACCESSORIES



RICE GRADER  
ATTACHMENT



PADDY CLEANER  
ATTACHMENT

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



**NEW  
ARRIVAL**

### 6N400E MINI RICE MILL

[ MODEL - 6N400E MINI RICE MILL ]

Power - **4.5 HP** Motor

Capacity - **200 Kg/Hr**

**Long Height**

**MCB/BREAKER**

**VOLTAGE + AMPERE Display**



**NEW  
ARRIVAL**

### SA-250E RICE MILL

[ MODEL NO.- SA-250E ]

[ HULLER/OPEN TYPE WITH BLOWER ]

Power - **4.5 HP** Motor

Capacity - **300 Kg/Hr**

**Long Height**

**MCB/BREAKER**

**VOLTAGE + AMPERE Display**



**NEW  
ARRIVAL**

### 6N40B BOX TYPE

[ MODEL NO. - 6N40B BOX TYPE ]

Power - **3 HP** Motor

Capacity - **150 Kg/Hr (PADDY)**

**CAPACITY RICE - 93 KG/HR**

**COMPACT DESIGN**

**MCB/BREAKER**

**VOLTAGE + AMPERE Display**



### 6N40 CHROME TYPE

[ MODEL NO. 6N40CR CHROME TYPE ]

Power - **3 HP** Motor

Capacity - **150 Kg/Hr (PADDY)**

**CAPACITY RICE - 93 KG/HR**



### 6N40 REGULATOR TYPE

[ MODEL NO. -6N40R BUTTERFLY ]

Power - **3 HP** Motor

Capacity - **150 Kg/Hr (PADDY)**

**CAPACITY RICE - 93 KG/HR**



**GOVERNMENT  
SUBSIDY  
APPROVED**

### 6N40 RICE MILL

[ MODEL NO. - 6N40 IRON TYPE ]

Power - **3 HP** Motor

Capacity - **150 Kg/Hr (PADDY)**

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**



### 6N110 RICE MILL

[ MODEL - 6N110 ]  
 [ HULLER/OPEN TYPE WITH BLOWER ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 250 KG/HR (PADDY)  
 CAPACITY - 125 KG/HR (RICE)



### 6N80 FAN TYPE RICE MILL

[ MODEL - 6N80F (HULLER/OPEN TYPE) ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 200 KG/HR (PADDY)  
 CAPACITY - 125 KG/HR (RICE)



### 6N80 RICE MILL

[ MODEL - 6N80 HULLER/OPEN TYPE ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 200 KG/HR (PADDY)  
 CAPACITY - 125 KG/HR (RICE)



### DESTONER CUM GRADER TYPE RICE MILL

[ MODEL - 6N40DG ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 150 KG/HR (PADDY)  
 CAPACITY - 93 KG/HR (RICE)



### DESTONER TYPE RICE MILL

[ MODEL - 6N40D ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 150 KG/HR (PADDY)  
 CAPACITY - 93 KG/HR (RICE)



### BROWN RICE MILL

[ MODEL - SA-502 ]  
 POWER - 3HP SINGLE PHASE  
 CAPACITY - 150 KG/HR (PADDY)  
 CAPACITY - 93 KG/HR (RICE)

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**



RUBBER ROLL

## SA-10D RICE MILL

[ HUSKER + POLISHER ]

POWER - 10-15 HP THREE PHASE

CAPACITY - 450-550 KG/HR

RUBBER ROLL - 4" (2 Nos)

ALSO SUITABLE WITH 15 HP DIESEL ENGINE

## CTNM-15D COMPACT RICE MILL PLANT

[ MODERN AUTOMATIC RICE MILL ]

POWER - 35 HP THREE PHASE

CAPACITY - 1000-1300 KG/HR (PADDY)

CAPACITY - 650-800 KG/HR RICE

WITH PANEL BOX

AREA REQUIRED - 15x15 Ft



NEW  
ARRIVAL

## MLNJ-20 RICE MILL

[ MODERN AUTOMATIC RICE MILL ]

POWER - 24 HP THREE PHASE

CAPACITY - 650 KG/HR (PADDY)

CAPACITY - 420 KG/HR RICE

WITH PANEL BOX

AREA REQUIRED - 10x10 Ft



**SA-02A GRINDER**  
 POWER - 3HP  
 CAPACITY - 40-90 KG/HR  
 JALI - ROUND

**SA-02B GRINDER**  
 POWER - 3HP  
 CAPACITY - 40-90 KG/HR  
 JALI - HALF ROUND

**SA-03 GRINDER**  
 POWER - **4.5 HP**  
 CAPACITY - 60-110 KG/HR  
 JALI - HALF ROUND

## MULTI-FUNCTIONAL MACHINES



**AUTO FEED GRINDER**  
 MODEL - SA-AFG  
 POWER - **4.5 HP**  
 CAPACITY - 50-250 KG/HR

KEY FEATURE -  
 i) SELF FEEDING  
 ii) CYCLONE

**HAMMER CYCLONE PULVELIZER**  
 MODEL - SA-HCP1  
 POWER - 3HP  
 CAPACITY - 40-100 KG/HR  
 APPLICATIONS - SPICES & FEED

**HAMMER CYCLONE PULVELIZER**  
 MODEL - SA-HCP2  
 POWER - **4.5 HP**  
 CAPACITY - 60-150 KG/HR  
 APPLICATIONS - SPICES & FEED

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**



**SA-02A GRINDER**  
 POWER - 3HP  
 CAPACITY - 40-90 KG/HR  
 JALI - ROUND

**SA-02B GRINDER**  
 POWER - 3HP  
 CAPACITY - 40-90 KG/HR  
 JALI - HALF ROUND

**SA-03 GRINDER**  
 POWER - **4.5 HP**  
 CAPACITY - 60-110 KG/HR  
 JALI - HALF ROUND

## MULTI-FUNCTIONAL MACHINES



**AUTO FEED GRINDER**  
 MODEL - SA-AFG  
 POWER - **4.5 HP**  
 CAPACITY - 50-250 KG/HR

KEY FEATURE -  
 i) SELF FEEDING  
 ii) CYCLONE

**HAMMER CYCLONE PULVELIZER**  
 MODEL - SA-HCP1  
 POWER - 3HP  
 CAPACITY - 40-100 KG/HR  
 APPLICATIONS - SPICES & FEED

**HAMMER CYCLONE PULVELIZER**  
 MODEL - SA-HCP2  
 POWER - **4.5 HP**  
 CAPACITY - 60-150 KG/HR  
 APPLICATIONS - SPICES & FEED

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**



**SM-150 WET GRINDER**  
 POWER - 2 HP SINGLE PHASE  
 CAPACITY - 30-100 KG/HR  
 PLATE SIZE - 6 INCH  
 APPLICATIONS - WET DAL/RICE PASTE



**SM-180 GRINDER**  
 POWER - 2 HP SINGLE PHASE  
 CAPACITY - 40-80 KG/HR  
 PLATE SIZE - 7 INCH  
 APPLICATIONS - FLOUR, MASALA  
 DAL SPLITTING, FEED MAKING



**SM-200 GRINDER**  
 POWER - 3 HP SINGLE PHASE  
 CAPACITY - 60-100 KG/HR  
 PLATE SIZE - 8 INCH  
 APPLICATIONS - FLOUR, MASALA  
 DAL SPLITTING, FEED MAKING



**SM-260 GRINDER**  
 POWER - 5 HP SINGLE/THREE PHASE  
 CAPACITY - 100-150 KG/HR  
 PLATE SIZE - 10 INCH  
 APPLICATIONS - FLOUR, MASALA  
 DAL SPLITTING, FEED MAKING



**SA-CC1.5C  
 CORN CRUSHER MACHINE**  
 POWER - 1.5 HP  
 CAPACITY - 200-250 KG/HR  
 WEIGHT - 20 KG



**SA-CC1.5E  
 CORN CRUSHER MACHINE  
 [ CHROME PLATED ]**  
 POWER - 1.5 HP  
 CAPACITY - 200-250 KG/HR  
 WEIGHT - 20 KG

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**



## STONE LESS FLOUR MILL



MODEL	CAPACITY	POWER
SA-FM12	50-70 KG/HR	7.5 HP
SA-FM14	100-110 KG/HR	10 HP
SA-FM16	120-150 KG/HR	15 HP
SA-FM18	200-210 KG/HR	20 HP

## HAMMER PULVELIZER

MODEL	POWER	CAPACITY
SA-IP10	10 HP THREE PHASE	150-500 KG/HR
SA-IP20	20 HP THREE PHASE	300-800 KG/HR

APPLICATIONS - FEED/SPICES/HUSK/DRY ITEMS ETC.



## GROUNDNUT DECORTICATOR



### GROUNDNUT DECORTICATOR

POWER- 3 HP SINGLE PHASE  
CAPACITY- 150 KG/HR  
WOODEN BOX PACKING

### GROUNDNUT DECORTICATOR

( WITH 3 MESH ALSO GRADER WITH 2 MESH )  
POWER- 3 HP SINGLE PHASE  
CAPACITY- 150 KG/HR  
WOODEN BOX PACKING



**NEW ARRIVAL**



**NEW ARRIVAL**



**NEW ARRIVAL**



### RICE HULLER CUM PULVELIZER

[ MODEL - SA-250E-9FC21 ]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 300 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (GRINDER)

### RICE HULLER CUM PULVELIZER

[ MODEL-SA-250E0SASFM3 ]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 300 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (GRINDER)

### RICE CUM PULVELIZER

[ MODEL - 6N400E-SASFM3 ]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 200 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (GRINDER)



### RICE HULLER CUM PULVELIZER

[ MODEL- 6N80-9FC21 ]

POWER - 3HP SINGLE PHASE

CAPACITY - 200 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (PULVELIZER)



### RICE CUM FLOUR MILL WITH 14" STONE

[ MODEL-SB205-6N110 ]

POWER - 3HP SINGLE PHASE

CAPACITY - 200 KG/HR (RICE MILL)

CAPACITY - 60 KG/HR (FLOUR MILL)



### RICE CUM PULVELIZER

[ MODEL-6N40-9FC21 ]

POWER - 3HP SINGLE PHASE

CAPACITY - 150 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (PULVELIZER)

**REVERSING TYPE & NON-REVERSING TYPE AVAILABLE IN ALL COMBINED MODELS**

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**

**NEW  
ARRIVAL**



### RICE CUM PULVELIZER CUM DISC MILL

[ MODEL - SA-6N110-9FC21-SM200 ]  
POWER - **4.5 HP** SINGLE PHASE  
CAPACITY - 250 KG/HR (RICE MILL)  
CAPACITY - 30-200 KG/HR (PULVELIZER)  
CAPACITY - 40-200 KG/HR (DISC MILL)

**NEW  
ARRIVAL**



### RICE CUM PULVELIZER CUM DISC MILL

[ MODEL - SA-6N40-9FC21-SM200 ]  
POWER - **4.5 HP** SINGLE PHASE  
CAPACITY - 150 KG/HR (RICE MILL)  
CAPACITY - 30-200 KG/HR (PULVELIZER)  
CAPACITY - 40-200 KG/HR (DISC MILL)

**NEW  
ARRIVAL**



### RICE CUM DISC MILL

[ MODEL - SA-250E-SM200 ]  
POWER - **4.5 HP** SINGLE PHASE  
CAPACITY - 300 KG/HR (RICE MILL)  
CAPACITY - 42-200 KG/HR (DISC MILL)

**NEW  
ARRIVAL**



### RICE CUM FLOUR CUM DISC MILL

[ MODEL - SA-250E-SASFM3-SM200 ]  
POWER - **4.5 HP** SINGLE PHASE  
CAPACITY - 150 KG/HR (RICE MILL)  
CAPACITY - 30-200 KG/HR (PULVELIZER)  
CAPACITY - 40-200 KG/HR (DISC MILL)

**NEW  
ARRIVAL**



### RICE CUM DISC CUM DISC MILL

[ MODEL - SA-250E-SM200-SM200 ]  
POWER - **4.5 HP** SINGLE PHASE  
CAPACITY - 150 KG/HR (RICE MILL)  
CAPACITY - 93 KG/HR (RICE)  
CAPACITY - 40-200 KG/HR (DISC MILL)

**NEW  
ARRIVAL**



### DESTONER CUM GRADER COMBINED

POWER - **3HP** SINGLE PHASE  
CAPACITY - 150 KG/HR (RICE MILL)  
CAPACITY - 30-200 KG/HR (PULVELIZER)

**REVERSING TYPE & NON-REVERSING TYPE AVAILABLE IN ALL COMBINED MODELS**

**ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE**

## MINI OIL MILL



**MINI OIL MILL**  
[SA-MINI OIL 1]  
POWER - 450 WATT  
CAPACITY - 4-5 KG/HR  
MATERIAL - 100% FOOD GRADE  
STAINLESS STEEL



**MODERN OIL MILL**  
[SA-MINI OIL 2]  
POWER - 1400 WATT  
CAPACITY - 10-12 KG/HR  
MATERIAL - 100% FOOD GRADE  
STAINLESS STEEL



**MEGA OIL MILL**  
[SA-MINI OIL 3]  
POWER - 2000 WATT  
CAPACITY - 25-30 KG/HR  
MATERIAL - 100% FOOD GRADE  
STAINLESS STEEL



**JUMBO OIL MILL**  
[SA-OIL 4]  
POWER - 3000 WATT  
CAPACITY - 30-35 KG/HR  
MATERIAL - SS 304 FOOD GRADE

## OIL EXPELLER COLD PRESS



**KISAN DOST KACCHI  
GHANI COLD PRESS OIL MILL**

CAPACITY - 16 KG/HR  
BATCH - 8 KG  
POWER - 3 HP  
WALL+BELAN - MILD STEEL



**WOOD KING KACCHI  
GHANI COLD PRESS OIL MILL**

CAPACITY - 20 KG/HR  
BATCH - 10 KG  
POWER - 3 HP  
WALL+BELAN - WOODEN



## MINI DAL MILL

[MODEL : SA-DM3G]

POWER - 3 HP (SINGLE/THREE PHASE)

CAPACITY - 250 KG/HR

SPECIAL FEATURES :- ATTACHED SPIRAL GRADER & OIL BATH



## MINI DAL MILL

[MODEL : SA-PKV3]

POWER - 3 HP (SINGLE/THREE PHASE)

CAPACITY - 250 KG/HR

SPECIAL FEATURES :- ATTACHED GRADER & OIL BATH



## MINI DAL MILL/WHEAT CLEANING MACHINE

[MODEL : SA-DM1G]

POWER - 3 HP (SINGLE/ THREE PHASE)

CAPACITY- 150 KG/HR

SPECIAL FEATURES :- ATTACHED BLOWER & GRADER



## MINI DAL MILL/WHEAT CLEANING MACHINE


[MODEL : SA-DM1]

POWER - 3 HP (SINGLE/THREE PHASE)

CAPACITY- 150 KG/HR



MANUALLY ADJUSTABLE SPEED



CONVEYOR BELT FOR EASY FEEDING



ENGINE/MOTOR COMPATIBLE FRAME

## CHAFF CUTTER CONVEYOR MODEL



Green Grass



Dry Grass

[ MODEL NO - SA-9ZT-0.6C ]

POWER (MOTOR/ENGINE) : 3/5 HP

CAPACITY: 550 Kg/Hr

NO. OF BLADES - 4 ROTATING, 1 FIXED



GEAR LEVER FOR SPEED ADJUSTMENT

## CHAFF CUTTER GEAR MODEL



Green Grass



Dry Grass

[ MODEL NO. - SA-9ZT-0.6G ]

POWER (MOTOR/ENGINE) : 3/5 HP

CAPACITY: 650 Kg/Hr

NO. OF BLADES - 4 ROTATING, 1 FIXED



## CHAFF CUTTER CUM PULVELIZER

[ MODEL -SA-9ZT0.6-9FC21 ]

POWER (MOTOR/ENGINE) : 3/5 HP

CAPACITY CHAFF CUTTER - 500-550 KG/HR

CAPACITY PULVELIZER - 40-200 KG/HR

TYPE - REVERSING/NON-REVERSING



Fine Chopped Grass  
15-20 MM

## FINE CHAFF CUTTER CUM PULVELIZER

[ MODEL. SA-FCP1 ]

POWER (MOTOR/ENGINE) : 3/5 HP

CAPACITY - 500-550 KG/HR



**SA-CORN1**  
 [ CORN THRESHER MOTOR OPERATED ]  
 CAPACITY - 400 KG/HR  
 POWER -1 HP SINGLE PHASE



**SA-CORN2**  
 [ CORN THRESHER MOTOR OPERATED ]  
 CAPACITY - 1200 KG/HR  
 POWER -2 HP SINGLE PHASE  
 WITH GEAR FOR THICK/THIN CORN



**SA-CORN2B**  
 [ CORN THRESHER MOTOR OPERATED ]  
 CAPACITY - 1200 KG/HR  
 POWER -2 HP SINGLE PHASE



**SA-CORN2G**  
 [ CORN THRESHER MOTOR OPERATED ]  
 CAPACITY - 1200 KG/HR  
 POWER -2 HP SINGLE PHASE  
 WITH **GEAR** FOR THICK/THIN CORN



**NEW ARRIVAL**

**CORN THRESHER (GEAR MODEL)**  
 MODEL NO. SA-CORN2GB  
 SINGLE ROLLER **(WITH BLOWER)**  
 POWER - 2 HP  
 CAPACITY - 1200 KG/HR



**NEW ARRIVAL**

**CORN THRESHER (GEAR MODEL)**  
 MODEL NO. SA-CORN2GBD  
**DOUBLE ROLLER (WITH BLOWER)**  
 POWER - 2.5 HP  
 CAPACITY - 1600 KG/HR



**SA-CORN3**  
**CORN PEELER CUM THRESHER**  
 [ CORN THRESHER MOTOR OPERATED ]  
 CAPACITY - 800 KG/HR  
 POWER -3 HP SINGLE PHASE



**NEW ARRIVAL**

**SA-CF1**  
**CORN FLATTENING/FLAKES MACHINE**  
 POWER - 4 HP SINGLE PHASE  
 CAPACITY - 200-250 KG/HR  
 SUITABLE FOR - CORN/CHANA/  
 RICE/WHEAT/SOYA BEAN



**NEW ARRIVAL**

**SUNFLOWER SEED THRESHER**  
 POWER- 3 HP SINGLE PHASE  
 CAPACITY- 200 KG/HR



## SEED TRANSPLANTER

[ HAND OPERATED SEED TRANSPLANTER ]

MODEL NO.	NO. OF TEETH	SEED	SEED + FERTILIZER
SA-HS1	12	YES	-
SA-HS2	12	-	YES
SA-HS3	14	YES	-
SA-HS4	14	14	YES



## PADDY DRUM SEEDER

[ HAND OPERATED ]

OPERATION - MANUAL  
 NO. OF DRUMS - 4  
 NO. OF ROWS - 8  
 ROW SPACE - 8 INCH


## PADDY TRANSPLANTERS



### MANUAL PADDY TRANSPLANTER

[ MANUAL - WOODEN BASE ]

OPERATION - MANUAL  
 ROWS - 2 ROW  
 WEIGHT - 18 KG  
 HAND OPERATED



MODEL	SA-EPT1000	SA-EPT2000
NO. OF ROW	4 ROW	6 ROW
FUEL	PETROL	PETROL
POWER	35 cc 4 STROKE	35 cc 4 STROKE
ROW DISTANCE	7 INCHES	7 INCHES
PLANT DISTANCE	6 INCHES	6 INCHES
OPERATION	ENGINE OPERATED	ENGINE OPERATED





## PADDY/MULTICROP THRESHER MODEL - SA-PT3

[ ELECTRIC/MOTOR OPERATED]

TYPE - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 7 HP

CAPACITY - 600 KG/HR

SIZE - 4\*2\*3 FT

## PADDY THRESHER (OPEN TYPE) MODEL - SA-PTO3

TYPE - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 7 HP

CAPACITY - 1000 KG/HR

WHEEL+HANDLE+CYCLONE



## PADDY/MULTICROP THRESHER (5G) MODEL - SA-MT5

OPERATION - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 7 HP

CAPACITY - 1000 KG/HR

WHEEL+HANDLE+CYCLONE



PADDY



WHEAT



MILLET



MUSTARD

**NEW  
ARRIVAL**



## SUGARCANE JUICER

[ MANUAL ]

TYPE - HAND OPERATED

[ CAN BE UPDATED TO ENGINE/  
MOTOR OPERATED ]



**NEW  
ARRIVAL**



## SUGARCANE JUICER

[ ELECTRIC OPERATED ]

POWER - 2 HP SINGLE PHASE

CAPACITY - 150-200 LTR/HR



**NEW  
ARRIVAL**



## SUGARCANE JUICER

[ BATTERY OPERATED ]

NO. OF BATTERY - 2 BATTERY

CAPACITY - 100-150 LTR/HR



**NEW  
ARRIVAL**



## SUGARCANE JUICER

[ BATTERY OPERATED ]

NO. OF BATTERY - 3 BATTERY

CAPACITY - 150-200 LTR/HR

**NEW  
ARRIVAL**



## PEELER CUM JUICER

[ ELECTRIC OPERATED ]

POWER - 2 HP SINGLE PHASE

CAPACITY - 150-200 LTR/HR

**NEW  
ARRIVAL**



## PEELER CUM JUICER

[ ENGINE OPERATED ]

POWER - 7 HP PETROL ENGINE

CAPACITY - 150-200 LTR/HR


## FLAT DIE PELLET MACHINE

[ POULTRY/DAIRY/PIG/HORSE/SHEEP/ETC ]



MODEL	CAPACITY	POWER
SA-PM3	100 KG/HR	3 HP SINGLE PHASE
SA-PM4	120 KG/HR	4 HP SINGLE PHASE
SA-PM5	150 KG/HR	5HP SINGLE PHASE
SA-PM7	250 KG/HR	7.5 HP THREE PHASE
SA-PM10	400 KG/HR	10 HP THREE PHASE
SA-PM20	700 KG/HR	20 HP THREE PHASE
SA-PM30	1000 KG/HR	30 HP THREE PHASE
SA-PM50	1500 KG/HR	50 HP THREE PHASE

TROLLY+WHEEL+PANEL BOX+WOODEN CASE PACKING



## FLOATING FISH FEED MACHINE



MODEL	CAPACITY	POWER	SCREW DIAMETERS
SA-LM40	40-60 KG/HR	10 HP THREE PHASE	40 MM
SA-LM60	80-100 KG/HR	20 HP THREE PHASE	60 MM

## FEED MIXERS



**POWER - 2 HP**  
**CAPACITY - 100 KG PER BATCH**



**POWER - 3 HP**  
**CAPACITY - 150 KG PER BATCH**



**POWER - 3 HP**  
**CAPACITY - 200 KG PER BATCH**

## PROCESS AUTOMATION EQUIPMENTS



**NEW  
ARRIVAL**

### BUCKET ELEVATOR

[ MODEL - SA-BE3]  
**POWER - 3 HP**  
**CAPACITY - 200-1000 KG/HR**  
**COMPATIBILITY - ALL SEED/GRAIN/  
GRANULAR ITEMS**



**NEW  
ARRIVAL**

### SCREW CONVEYOR

**COMPATIBILITY - ALL SEED/GRAIN/GRANULAR/  
POWDER ITEMS**

MODEL	POWER	LENGTH	CAPACITY
SA-SC2	3 HP	2 METER	200-1000 KG/HR
SA-SC3	3 HP	3 METER	200-1000 KG/HR



### **WINNOWING FAN**

[ SA-WIN1 ]

POWER: 1 HP SINGLE PHASE  
OPERATION - MANUAL CUM  
HAND OPERATED

CAPACITY: 450-550Kg/Hr



### **GRAIN/SEED CLEANING CUM GRADING MACHINE**

[ SA-WIN2 ]

POWER: 2 HP SINGLE PHASE

CAPACITY: 450-550Kg/Hr

SUITABLE FOR : ALL KINDS OF SEEDS &  
GRAIN ITEMS



### **WINNOWER CUM GRADER**

[ MOTOR/ENGINE OPERATED ]

POWER : 3/5 HP

CAPACITY: 2500-2600 Kg/Hr

[ CAN USE BOTH PETROL ENGINE/  
DIESEL ENGINE/ELECTRIC MOTOR ]

## BANANA TREE CUTTER

[ MODEL NO. SA-BTC1A ]

SPECIFICATIONS

POWER - 3 HP MOTOR/7 HP ENGINE

CAPACITY - 900-1000 KG/HR

APPLICATIONS -

BANANA/VEGETABLES/SUGARCANE LEAVES ETC.



## BANANA TREE CUTTER

[ MODEL NO. SA-BTC1B ]

SPECIFICATIONS

POWER - 3 HP MOTOR/7 HP ENGINE

CAPACITY - 900-1000 KG/HR

APPLICATIONS -

BANANA/VEGETABLES/SUGARCANE LEAVES ETC.

## BANANA CROP SHREDDER

[ MODEL NO. SA-BS ]

OPERATION - TRACTOR OPERATED

POWER REQUIRED - 25HP AND ABOVE

SUITABLE FOR BANANA, PAPAYA, CHILLI, ETC.

AND ALL TYPES OF CROPS





## COW DUNG LOGGING MACHINE

[ COW DUNG/BRIQUETTE MAKING MACHINE ]

MODEL NO. SA-CDM1

POWER - 3HP/5HP

MATERIAL - MILD STEEL

LOG SHAPE - ROUND/SQUARE SHAPE

CAPACITY - 250 LOGS/HR

## FOGGING MACHINE

[ COLD THERMAL FOGGING MACHINE ]


MODEL - SA-AFM

RANGE - 6-10 METER

DISPLACEMENT - 52 CC, 2 STROKE

TYPE - SIDE PACK & BACK PACK

WEIGHT - 6.8 KG



## PUFFING/ ROASTING MACHINE

MODEL NO. SA-MURI200

POWER - 1 HP SINGLE PHASE

CAPACITY-200KG/HR

AVAILABLE IN

MS BODY & SS BODY

## SNACKS EXTRUDER MACHINE

MODEL NO. SA-SE500

POWER - 5-10 HP (MOTOR/ENGINE)

CAPACITY - 30-40 KG/HR

NO. OF DIES - 16

NO OF SCREWS - 2

APPLICATIONS - RICE/WHEAT/CORN/RAGI/ ETC.





**BRUSH CUTTER 52CC**  
POWER - 2 STROKE SIDEPACK



**BRUSH CUTTER GX-35**  
POWER - 4 STROKE SIDEPACK



**BRUSH CUTTER 63CC**  
POWER - 2 STROKE SIDEPACK



**BRUSH CUTTER 52CC**  
POWER - 2 STROKE BACKPACK



**BRUSH CUTTER GX-35**  
POWER - 4 STROKE BACKPACK



**BRUSH CUTTER 63CC**  
POWER - 2 STROKE BACKPACK

### STANDARD ATTACHMENTS



2 TEETH BLADE



3 TEETH BLADE



40 TEETH BLADE



80 TEETH BLADE



PADDY GUARD



TAP & GO ATTACHMENT

### EXTRA ATTACHMENTS



WEEDER ATTACHMENT TYPE 1



WEEDER ATTACHMENT TYPE 1



WEEDER ATTACHMENT TYPE 1



TRIMMER



CHAIN SAW



RECOIL STARTER



**EARTH AUGER 52CC**  
POWER ; 52cc  
2 STROKE PETROL ONLY ENGINE  
START: RECOIL  
DRILL DEPTH: 2 FT  
DRILL WIDTH: 4-12"



**EARTH AUGER 63CC**  
POWER ; 63cc  
2 STROKE PETROL ONLY ENGINE  
START: RECOIL  
DRILL DEPTH: 2 FT  
DRILL WIDTH: 4-12"



**EARTH AUGER 63CC [ TROLLY TYPE ]**  
POWER ; 63cc  
2 STROKE PETROL ONLY ENGINE  
START: RECOIL  
DRILL DEPTH: 2 FT  
DRILL WIDTH: 4-12"



## AGRICULTURE POWER REAPER



### POWER REAPER

[ LIGHT WEIGHT MODEL ]

MODEL NO. SA-PR750

POWER - 5HP PETROL ENGINE

GEAR- 1 FWD, 1 REV

NO. OF ROWS - 4 ROWS

BIG TYRES



### MINI REAPER

MODEL NO. SA-PR550

POWER - 5HP

APPLICATIONS - WHEAT/

PADDY/SOYA/NAPIER

NO OF ROWS - 3 ROWS

## WOOD CHIPPER & LINE TRENCHER



### WOOD CHIPPER/SHREDDER MACHINE

[ MODEL - SA-WC01 ]

POWER - 7 HP RATO PETROL ENGINE

CAPACITY - 200-250 KG/HR

MAX DIA - 70 mm

START - RECOIL START



### LINE TRENCHER MACHINE

[ MODEL- SA-TR07 ]

POWER - 7 HP RATO PETROL ENGINE

START- RECOIL START

CHAIN - 42 PC

CUTTER - 21 PC

WORKING SPEED- 400 RPM

TRENCH SPEED - 60 MTR/HR

TRENCH WIDTH - 100 mm

MAX. TRENCH DEPTH - 450mm

## POWER WEEDER

[ 7 HP-170F-212CC, WITH FLASH LIGHT ]

MODEL : SA-710P

POWER - 7 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

(PREMIUM RATO ENGINE WITH FLASH LIGHT)

[ 7.5 HP-170F-212CC ]

MODEL : SA-7500P

POWER - 7.5 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

[ 7 HP (170F) 212CC ]

[ WITH ENGINE COVER & HEAD LAMP ]

MODEL : SA-710PH

POWER - 7 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

[ 5 HP (170F) 212CC, BELT DRIVE ]

[ WITH FLASH LIGHT ]

MODEL : SA-5000P

POWER - 5 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES

## POWER WEEDER

[ 7 HP-170F-212CC, WITH FLASH LIGHT ]

MODEL : SA-710P

POWER - 7 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

(PREMIUM RATO ENGINE WITH FLASH LIGHT)

[ 7.5 HP-170F-212CC ]

MODEL : SA-7500P

POWER - 7.5 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

[ 7 HP (170F) 212CC ]

[ WITH ENGINE COVER & HEAD LAMP ]

MODEL : SA-710PH

POWER - 7 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400x8 PNEUMATIC TYRES



## POWER WEEDER

[ 5 HP (170F) 212CC, BELT DRIVE ]

[ WITH FLASH LIGHT ]

MODEL : SA-5000P

POWER - 5 HP

START - RECOIL START

ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE


TYRE SIZE - 400x8 PNEUMATIC TYRES

**POWER WEEDER**  
**KAIAO ENGINE WITH FLASH LIGHT**  
**[ 6HP (173F) ]**  
**MODEL : SA-5000D**  
 POWER - 6 HP  
 START - RECOIL START  
 ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISCS  
 GEAR - 2 FORWARD, 1 REVERSE  
 TYRE SIZE - 400x8 PNEUMATIC TYRES



**POWER WEEDER**  
**KAIAO ENGINE WITH HEAD LIGHT**  
**& ENGINE COVER**  
**[ 6HP (173F) ]**  
**MODEL : SA-5000DHE**  
 POWER - 6 HP  
 START - ELECTRIC START (W/O BATTERY, WITH HOLDER)  
 ROTARY SHAFT - 32 BLADE (2+1+1) + 2 SIDE DISCS  
 GEAR - 2 FORWARD, 1 REVERSE  
 TYRE SIZE - 400x10 PNEUMATIC TYRES

**POWER WEEDER 8 HP (DIESEL)**  
**[ INTER CULTIVATOR RATO ENGINE- 178F ]**  
 POWER - 8 HP (ORIGINAL RATO ENGINE & CHASSIS)  
 FUEL - DIESEL  
 RPM - 3300 RPM  
 GEAR - 2 FORWARD, 1 REV  
 WHEEL - 500\*10  
 FUEL CONSUMPTION - 600 ML/HR  
 42 BLADE ROTARY + 2 SIDE DISC  
 WITH HEAD LAMP + ELECTRIC START



## POWER WEEDER

PREMIUM RATO ENGINE WITH HEAD LIGHT  
& ENGINE COVER

[ 9HP (186F) ]

MODEL : SA-9000D

POWER - 9 HP

START - ELECTRIC START (W/O BATTERY, WITH HOLDER)

ROTARY SHAFT - 40 BLADE (3+1+1)+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 500x12 PNEUMATIC TYRES



LONG HANDLE BAR



LATEST HEAD LAMP WITH ENGINE COVER



FREE SIMPLE DITCHER



TOP GEAR LEVER



RATO SPECIAL FENDER



## POWER WEEDER

KAIAO ENGINE WITH HEAD LIGHT & ENGINE COVER

[ 9HP (186F) ]

MODEL : SA- 900KDHE

POWER - 9 HP

START - ELECTRIC START (W/O BATTERY, WITH HOLDER)

ROTARY SHAFT - 40 BLADE (3+1+1)+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 500x12 PNEUMATIC TYRES



LONG HANDLE BAR



LATEST HEAD LAMP WITH ENGINE COVER



FREE SIMPLE DITCHER



TOP GEAR LEVER



WITH WATER BOTTLE & HOLDER



NEW DESIGN FENDER



LONG HANDLE BAR



NEW DESIGN FENDER



LONG AIR FILTER



BIG BUMPER



WITH WATER BOTTLE & HOLDER

## POWER WEEDER

KAIAO ENGINE, BACK ROTARY MODEL

[ 9HP (186F) ]

MODEL : SA-950RTF

POWER - 9 HP

START - ELECTRIC START (W/O BATTERY, WITH HOLDER)

3 PCS 3 GROUP DRY LAND BLADE

1 SET DITCHING BLADE + 2 SIDE DISC

GEAR (FRONT GEAR BOX) 4 FORWARD, 2 REVERSE

GEAR (REAR GEAR BOX) - CLOCKWISE & ANTI-CLOCKWISE

TYRE SIZE - 400x8 PNEUMATIC TYRES



### CORPORATE OFFICE

C/o Adarsh Service Station, G.E. Road  
Supela, Bhilai, Chhattisgarh, 490020  
Mob :- 7489931767 / 7489931774

### BRANCH OFFICE

**West Bengal / Kolkata :-**  
1 Decussa Garden, Standard Housing Complex  
Serampore, Hooghly, 712203 West Bengal  
Mob :- 9302195939

**Odisha :-**  
447, Sunhat, Balasore, 756002 Odisha  
Mob :- 9348258010

**Assam / Guwahati :-**  
79, Gurchuk Sabji Mandi Guwahati  
781035, Assam  
Mob :- 9302195939



Email :- [sunagrobhilai@gmail.com](mailto:sunagrobhilai@gmail.com)  
Web :- [www.sunagrobhilai.com](http://www.sunagrobhilai.com)