

PRODUCT CATALOGUE 2025



SUN AGRO

FARMING FOR THE FUTURE



9001 : 2015 CERTIFIED



SUBSIDY AVAILABLE



PAN INDIA DISTRIBUTION



SPARE PARTS AVAILABLE

OUR BRANDS



SUN AGRO
FARMING FOR THE FUTURE



NEW
ARRIVAL

RICE MILL MACHINE
[MODEL - SA-450E]
POWER - 4.5 HP
CAPACITY - 350 KG/HR



NEW
ARRIVAL

RICE MILL MACHINE
[MODEL - SA-6W3500]
POWER - 5 HP SINGLE PHASE
CAPACITY - 350 KG/HR



RICE MILL MACHINE
[MODEL - SA-6N40 IRON]
POWER - 3 HP SINGLE PHASE
CAPACITY - 150 KG/HR



GOVERNMENT
SUBSIDY
APPROVED

DEHUSKER CUM POLISHER
[MODEL - SA-6LN5000B]
POWER - 3/4/5 HP
CAPACITY - 100/150/200 KG/HR



RICE MILL MACHINE
[MODEL - SA-6W600]
POWER - 5/7.5 HP MOTOR
CAPACITY - 350-400 KG/HR

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



6N400E MINI RICE MILL

[MODEL - 6N400E MINI RICE MILL]

Power - **4.5 HP** Motor

Capacity - **200 Kg/Hr**

Long Height

MCB/BREAKER

VOLTAGE + AMPERE Display



6N110 RICE MILL

[MODEL - 6N110]

[HULLER/OPEN TYPE WITH BLOWER]

POWER - 3HP SINGLE PHASE

CAPACITY - 250 KG/HR (PADDY)

CAPACITY - 125 KG/HR (RICE)



SA-6N110B RICE MILL

[MODEL NO.- SA-6N110B]

[HULLER/OPEN TYPE WITH BLOWER]

Power - **4.5 HP** Motor

Capacity - **300 Kg/Hr**

Long Height

MCB/BREAKER

VOLTAGE + AMPERE Display



6N40 CHROME TYPE

[MODEL NO. 6N40CR CHROME TYPE]

Power - 3 HP Motor

Capacity - 150 Kg/Hr (PADDY)

CAPACITY RICE - 93 KG/HR



DESTONER CUM GRADER TYPE RICE MILL

[MODEL - 6N40DG]

POWER - 3HP SINGLE PHASE

CAPACITY - 150 KG/HR (PADDY)

CAPACITY - 93 KG/HR (RICE)

OPTIONAL ACCESSORIES



**RICE GRADER
ATTACHMENT**



**PADDY CLEANER
ATTACHMENT**

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



N50 RICE MILL

[WITH CYCLONE]

MODEL : SA-6N50

POWER - 4.5 HP MOTOR

CAPACITY - 250 KG/HR



N50DG RICE MILL

[DESTONER & GRADER]

MODEL : SA-6N50DG

POWER - 4.5 HP MOTOR

CAPACITY - 250 KG/HR



N70 RICE MILL

[WITH CYCLONE]

MODEL : SA-N70

POWER - 7.5/10 HP MOTOR

CAPACITY - 850 KG/HR



N70G RICE MILL

[GRADER TYPE]

MODEL : SA-N70G

POWER - 7.5/10 HP MOTOR

CAPACITY - 850 KG/HR



N70DG MAX RICE MILL

[DESTONER+GRADER]

MODEL : SA-N70MAX

POWER - 7.5/10 HP MOTOR

CAPACITY - 850 KG/HR



N70-ULTRA MAX RICE MILL

[DESTONER+GRADER+HUSK
HAMMER]

MODEL : SA-N70 ULTRA MAX

POWER - 10/15 HP MOTOR

CAPACITY - 850 KG/HR

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



N70-DE RICE MILL

[WITH ELECTRIC START KAMA DIESEL
ENGINE & BATTERY]

POWER - 192F KAMA ENGINE

CAPACITY - 800 KG/HR



N70-DE TROLLEY RICE MILL

[WITH ELECTRIC START KAMA DIESEL
ENGINE & BATTERY+TROLLEY & WHEELS]

POWER - 192F KAMA ENGINE

CAPACITY - 800 KG/HR



N70GDE RICE MILL (GRADER TYPE)

[WITH ELECTRIC START KAMA DIESEL
ENGINE & BATTERY+TROLLEY & WHEELS]

POWER - 192F KAMA ENGINE

CAPACITY - 800 KG/HR



6N130 RICE POLISHER MILL

[HULLER TYPE]

POWER - 10 HP MOTOR

CAPACITY - 800-1000 KG/HR



STAINLESS STEEL PULVERIZER

MODEL	CHAMBER SIZE	CAPACITY	POWER REQUIRED
SA-SFM 2	10x4	15 KG/HR.	2HP Single Phase
SA-SFM 3	10x5/ 10x6	25 KG/HR.	3HP Single Phase
SA-SFM 3J	12x6	25 KG/HR.	3HP Single Phase
SA-SFM 3D	10x6	25 KG/HR.	3HP Single Phase
SA-SFM 5	12x6	45 KG/HR.	5HP Single Phase
SA-SFM 5T	12x6	45 KG/HR.	5HP Three Phase
SA-SFM 7	14x6+ 7x3	85 KG/HR.	7.5HP Three Phase



JALI



BEATER

MILD STEEL PULVERIZER

MODEL	CHAMBER SIZE	CAPACITY	POWER REQUIRED
SA-MSFM3	10x5	25-30 KG/HR.	3 HP Single Phase



JALI



BEATER



SA-02A GRINDER
POWER - 3HP
CAPACITY - 40-90 KG/HR
JALI - ROUND



SA-03 GRINDER
POWER - 4.5 HP
CAPACITY - 60-110 KG/HR
JALI - HALF ROUND

MULTI-FUNCTIONAL MACHINES



AUTO FEED GRINDER
MODEL - SA-AFG
POWER - 4.5 HP
CAPACITY - 50-250 KG/HR

KEY FEATURE -
i) SELF FEEDING
ii) CYCLONE



HAMMER CYCLONE PULVELIZER
MODEL - SA-HCP1
POWER - 3HP
CAPACITY - 40-100 KG/HR
APPLICATIONS - SPICES & FEED



HAMMER CYCLONE PULVELIZER
MODEL - SA-HCP2
POWER - 4.5 HP
CAPACITY - 60-150 KG/HR
APPLICATIONS - SPICES & FEED

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



SM-200 GRINDER

POWER - 3 HP SINGLE PHASE

CAPACITY - 60-100 KG/HR

PLATE SIZE - 8 INCH

APPLICATIONS - FLOUR, MASALA

DAL SPLITTING, FEED MAKING



SM-260 GRINDER

POWER - 5 HP SINGLE/THREE PHASE

CAPACITY - 100-150 KG/HR

PLATE SIZE - 10 INCH

APPLICATIONS - FLOUR, MASALA

DAL SPLITTING, FEED MAKING



NEW
ARRIVAL

SA-CC1.5C

CORN CRUSHER MACHINE

POWER - 1.5 HP

CAPACITY - 200-250 KG/HR

WEIGHT - 20 KG



NEW
ARRIVAL

SA-CC1.5E

CORN CRUSHER MACHINE

[CHROME PLATED]

POWER - 1.5 HP

CAPACITY - 200-250 KG/HR

WEIGHT - 20 KG

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



RICE HULLER CUM PULVELIZER
[MODEL - SA-6W3500-9FC21]
POWER - 5 HP SINGLE PHASE
CAPACITY - 400 KG/HR (PADDY)
CAPACITY - 40-200 KG/HR (FLOUR)



RICE HULLER CUM PULVELIZER
[MODEL-SA-6W3500-SASFM3]
POWER - 5 HP SINGLE PHASE
CAPACITY - 400 KG/HR (PADDY)
CAPACITY - 25-70 KG/HR (FLOUR)



RICE HULLER CUM DISC MILL
[MODEL - 6W3500-SM200]
POWER - 5 HP SINGLE PHASE
CAPACITY - 400 KG/HR (PADDY)
CAPACITY - 40 KG/HR (FLOUR)



RICE HULLER CUM PULVELIZER
[MODEL - SA-6N110L-9FC21]
POWER - 4.5 HP SINGLE PHASE
CAPACITY - 300 KG/HR (PADDY)
CAPACITY - 40-200 KG/HR (FLOUR)



RICE HULLER CUM FLOUR MILL
[MODEL - 6N100L-SASFM3]
POWER - 4.5 HP SINGLE PHASE
CAPACITY - 300 KG/HR (PADDY)
CAPACITY - 30-200 KG/HR (FLOUR)



RICE CUM FLOUR MILL
[MODEL-6N400-SASFM3]
POWER - 4.5 HP SINGLE PHASE
CAPACITY - 200 KG/HR (PADDYT)
CAPACITY - 25-200 KG/HR (FLOUR)

REVERSING TYPE & NON-REVERSING TYPE AVAILABLE IN ALL COMBINED MODELS

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE



RICE CUM PULVELIZER

[MODEL - SA-6N40-9FC21]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 150 KG/HR (PADDY)

CAPACITY - 30-200 KG/HR (FLOUR)



RICE CUM PULVELIZER CUM DISC MILL

[MODEL - SA-6N110-9FC21-SM200]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 250 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (FLOUR MILL)

CAPACITY - 40-150 KG/HR (GRINDER)



RICE CUM PULVELIZER CUM DISC MILL

[MODEL - SA-6N40-9FC21-SM200]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 150 KG/HR (RICE MILL)

CAPACITY - 30-200 KG/HR (FLOUR MILL)

CAPACITY - 40-200 KG/HR (GRINDER)



RICE CUM MULTI GRINDER

[MODEL - SA-250E-SM200 (8")]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 300 KG/HR (PADDY)

CAPACITY - 42-200 KG/HR (DISC MILL)



RICE CUM DISC CUM DISC MILL

[MODEL-SA-250E-SM200-SM200 (8")]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 300 KG/HR (PADDY)

CAPACITY - 42-200 KG/HR (DISC MILL)



RICE CUM FLOUR CUM DISC MILL

[MODEL-SA-250E-SASFM3-SM200 (8")]

POWER - 4.5 HP SINGLE PHASE

CAPACITY - 300 KG/HR (PADDY)

CAPACITY - 25 KG/HR (PULVELIZER)

CAPACITY - 42-200 KG/HR (DISC MILL)

REVERSING TYPE & NON-REVERSING TYPE AVAILABLE IN ALL COMBINED MODELS

ALL THE ABOVE MODELS CAN BE MATCHED WITH ELECTRIC MOTOR OR PETROL/DIESEL ENGINES AS PER CHOICE

MINI OIL MILL



MINI OIL MILL
[SA-MINI OIL 1]
POWER - 450 WATT
CAPACITY - 4-5 KG/HR
MATERIAL - 100% FOOD GRADE
STAINLESS STEEL



MODERN OIL MILL
[SA-MINI OIL 2]
POWER - 1400 WATT
CAPACITY - 10-12 KG/HR
MATERIAL - 100% FOOD GRADE
STAINLESS STEEL



MEGA OIL MILL
[SA-MINI OIL 3]
POWER - 2000 WATT
CAPACITY - 25-30 KG/HR
MATERIAL - 100% FOOD GRADE
STAINLESS STEEL



JUMBO OIL MILL
[SA-OIL 4]
POWER - 3000 WATT
CAPACITY - 30-35 KG/HR
MATERIAL - SS 304 FOOD GRADE

OIL EXPELLER COLD PRESS



MODEL NAME	SA-ZX-60	SA-ZX70	SA-ZX 85	SA-ZX 100	SA-ZX 120	SA-ZX 130
MOTOR POWER	3KW/4HP	4KW/5.5HP	5.5KW/7.5HP	7.5-11KW/10-15 HP	11-15 kw/15-20 Hp	18.5-22kw/ 25-30 HP
MOTOR RPM	1460 rpm/m	1460 rpm/m	1460 rpm/m	960rpm/m	1460 rpm/m	1460 rpm/m
DIMENSION	1000x400x1050	1085x500x1075	1185x500x1130	1650x900x1320	1760x500x1320	2100x800x1330
PRODUCTION CAPACITY	40kg/h	80kg/h	100kg/h	200kg/h	300kg/h	400kg/h
WEIGHT	180kg	200kg	250kg	520kg	620kg	850kg
SPIRAL SIZE	Φ28mm	Φ36mm	Φ42mm	Φ48mm	Φ50mm	Φ52mm
SPIRAL RPM	42rpm/m	42rpm/m	42rpm/m	28-32 rpm/m	38-42 rpm/m	32-38 rpm/m
NO. OF RINGS	11	14	14	18	24	28
SPIRAL LENGTH	820mm	895mm	1050mm	1345mm	1445mm	1640mm
INLET CHAMBER SIZE	Φ60mm	Φ70mm	Φ80mm	Φ95mm	Φ108mm	Φ118mm



MINI DAL MILL

[MODEL : SA-DM3G]

POWER - 3 HP (SINGLE/THREE PHASE)

CAPACITY - 250 KG/HR

**SPECIAL FEATURES :- ATTACHED SPIRAL
GRADER & OIL BATH**

MINI DAL MILL/WHEAT CLEANING MACHINE

[MODEL : SA-DM1]

POWER - 3 HP (SINGLE/THREE PHASE)

CAPACITY- 150 KG/HR



GROUNDNUT DECORTICATOR

[MODEL-SA-NUT1]

POWER- 3 HP SINGLE PHASE

CAPACITY- 150 KG/HR

WOODEN BOX PACKING





MANUALLY ADJUSTABLE SPEED



CONVEYOR BELT FOR EASY FEEDING



ENGINE/MOTOR COMPATIBLE FRAME

CHAFF CUTTER CONVEYOR MODEL



Green Grass



Dry Grass

[MODEL NO - SA-9ZT-0.6]

POWER - 3 HP MOTOR

CAPACITY: 550 Kg/Hr

NO. OF BLADES - 4 ROTATING, 1 FIXED



GEAR LEVER FOR SPEED ADJUSTMENT

CHAFF CUTTER GEAR MODEL



Green Grass



Dry Grass

[MODEL NO. - SA-9ZT-0.6G]

POWER - 3 HP MOTOR

CAPACITY: 650 Kg/Hr

NO. OF BLADES - 4 ROTATING, 1 FIXED



CHAFF CUTTER CUM PULVELIZER

[MODEL -SA-9ZT0.6-9FC21]

POWER - 3/5 HP MOTOR

CAPACITY CHAFF CUTTER - 500-550 KG/HR

CAPACITY PULVELIZER - 40-200 KG/HR

TYPE - REVERSING/NON-REVERSING



Fine Chopped Grass
15-20 MM

FINE CHAFF CUTTER CUM PULVELIZER

[MODEL. SA-FCP1]

CAPACITY CHAFF CUTTER - 500-550 KG/HR

CAPACITY PULVELIZER - 40-200 KG/HR

CAPACITY - 500-550 KG/HR



SA-CORN1

[CORN THRESHER MOTOR OPERATED]
CAPACITY - 400 KG/HR
POWER - 1 HP SINGLE PHASE



SA-CORN2G-Li

[CORN THRESHER MOTOR OPERATED]
CAPACITY - 1200 KG/HR
POWER - 1.5/2 HP SINGLE PHASE



SA-CORN2B

[CORN THRESHER MOTOR OPERATED]
CAPACITY - 1200 KG/HR
POWER - 1.5/2 HP SINGLE PHASE



SA-CORN2G

[CORN THRESHER MOTOR OPERATED]
CAPACITY - 1200 KG/HR
POWER - 2 HP SINGLE PHASE
WITH **GEAR** FOR THICK/THIN CORN



SA-CORN2GB (GEAR MODEL)

SINGLE ROLLER (WITH BLOWER)
POWER - 2 HP
CAPACITY - 1200 KG/HR



SA-CORN2GBD (GEAR MODEL)

DOUBLE ROLLER (WITH BLOWER)
POWER - 2.5 HP
CAPACITY - 1600 KG/HR



SA-MZ-CORN3 CORN PEELER CUM THRESHER

[CORN THRESHER MOTOR OPERATED]
CAPACITY - 800 KG/HR
POWER - 3 HP SINGLE PHASE



SA-CF1 CORN FLATTENING/FLAKES MACHINE

POWER - 4 HP SINGLE PHASE
CAPACITY - 200-250 KG/HR
SUITABLE FOR - CORN/CHANA/
RICE/WHEAT/SOYA BEAN



SUNFLOWER SEED THRESHER

MODEL - SA-SUNFLOWER
POWER - 3 HP SINGLE PHASE
CAPACITY - 200 KG/HR



SEED TRANSPLANTER

[HAND OPERATED SEED TRANSPLANTER]
MODEL - SA-HS2
NUMBER OF TEETH - 12
SEED + FERTILIZER



MANUAL PADDY TRANSPLANTER

[MANUAL - WOODEN BASE]
MODEL - SA-MPT1
OPERATION - MANUAL
CAPACITY - 1 Acre/ 2 Hour
ROWS - 2 ROW
HAND OPERATED



MANUAL PADDY TRANSPLANTER

[MANUAL - STEEL BASE]
MODEL - SA-MPT2
OPERATION - MANUAL
CAPACITY - 1 Acre/2 Hour
ROWS - 2 ROW
HAND OPERATED



PADDY TRANSPLANTER

[ENGINE OPERATED TRANSPLANTER]
MODEL - SA-EPT6
NUMBER OF ROW - 6
FUEL - PETROL
POWER - 35 CC 4 STROKE
ROW DISTANCE - 7 INCH
PLANT DISTANCE - 6 INCH
OPERATION - ENGINE OPERATED



PADDY TRANSPLANTER

[4 ROW WALK BEHIND]
MODEL - SA-WBPT4
L*W*H - 2140*1590*910mm
Weight-160 kg
displacement - 171cc
Power- 5HP
RPM- 3000 rpm
START - Recoil start
Rows - 4
Row spacing - 30cm
Plant spacing - 21,18,16,14,12 cm



PADDY/MULTICROP OPTHRESHER MODEL- SA-PT3

TYPE - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 6.5 HP

CAPACITY - 600 KG/HR



PADDY/MULTICROP OP THRESHER MODEL- SA-PT5

TYPE - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 7.5 HP

CAPACITY - 800 KG/HR



PADDY/MULTICROP OP THRESHER MODEL - SA-PT6

OPERATION - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 4.5 HP/ 7.5 HP

CAPACITY - 1000 KG/HR



PADDY THRESHER BIG MODEL - SA-MT5

OPERATION - MOTOR/ENGINE OPERATED

POWER (MOTOR/ENGINE) - 3 HP/ 7.5 HP

CAPACITY - 800 KG/HR

WHEEL+HANDLE+CYCLONE



SUGARCANE JUICER

[MODEL : SA-SJ250M] (MANUAL)
TYPE - HAND OPERATED
CAPACITY - 60-70 Ltr/Hr
[CAN BE UPDATED TO ENGINE/ MOTOR OPERATED]



SUGARCANE JUICER

[MODEL : SA-SJ250MP]
TYPE - ENGINE OPERATED
POWER - 6.5/7.5 HP ENGINE
CAPACITY - 150 Ltr/Hr
[WITH FRAME, BELT & PULLEY SET]



SUGARCANE JUICER

[MODEL : SA-SJ2IN1]
TYPE - ELECTRIC+BATTERY OPERATED
POWER MOTOR - 2 HP SINGLE PHASE
POWER BATTERY - 12V*12 AMP
CAPACITY - 150-200 Ltr/Hr



SUGARCANE JUICER

[MODEL : SA-SJ300B]
TYPE - ELECTRIC OPERATED
POWER - 2 HP MOTOR
CAPACITY - 150-200 Ltr/Hr



SUGARCANE JUICER

[MODEL : SA-SJ300A]
TYPE - ELECTRIC OPERATED
POWER - 2 HP MOTOR
CAPACITY - 150-200 Ltr/Hr



SUGARCANE JUICER

[MODEL : SA-SJ300X]
TYPE - BATTERY OPERATED
POWER - 12V*12AMP DOUBLE BATTERY
CAPACITY - 150-200 Ltr/Hr



SUGARCANE JUICER

TYPE - HAND OPERATED
CAPACITY - 60-70 Ltr/Hr
[CAN BE UPDATED TO ENGINE /
MOTOR OPERATED]



PEELER CUM JUICER

TYPE - BATTERY OPERATED
POWER - 12V*12AMP
CAPACITY - 150-200 Ltr/Hr



PEELER CUM JUICER

TYPE - ELECTRIC+BATTERY OPERATED
POWER MOTOR - 2 HP SINGLE PHASE
POWER BATTERY - 12V*12 AMP
(WITH DOUBLE BATTERY)
CAPACITY - 150-200 Ltr/Hr



SUGARCANE JUICER

[MODEL : SA-SJ350X]
TYPE - BATTERY OPERATED
POWER - 12V*12AMP WITH 3 BATTERY
CAPACITY - 150-200 Ltr/Hr



PEELER CUM JUICER

[MODEL : SA-SPJ300E]
TYPE - ELECTRIC OPERATED
POWER - 2 HP MOTOR
CAPACITY - 150-200 Ltr/Hr



PEELER CUM JUICER

[MODEL : SA-SPJ300P]
TYPE - ENGINE OPERATED
POWER - 6.5 HP ENGINE
CAPACITY - 150-200 Ltr/Hr



FLAT DIE PELLET MACHINE

[POULTRY/DAIRY/PIG/HORSE/SHEEP/ETC]



TROLLY+WHEEL+PANEL BOX+WOODEN CASE PACKING

PRODUCT	MODEL	CAPACITY	POWER
FLAT DIE PELLET MACHINE	SA-PM3	100 KG/HR	3 HP SINGLE PHASE
FLAT DIE PELLET MACHINE	SA-PM4	120 KG/HR	4 HP SINGLE PHASE
FLAT DIE PELLET MACHINE	SA-PM5	150 KG/HR	5HP SINGLE PHASE
FLAT DIE PELLET MACHINE	SA-PM7	250 KG/HR	7.5 HP THREE PHASE
FLAT DIE PELLET MACHINE	SA-PM10	400 KG/HR	10 HP THREE PHASE
FLAT DIE PELLET MACHINE	SA-PM20	700 KG/HR	20 HP THREE PHASE
FLAT DIE PELLET MACHINE	SA-PM30	1000 KG/HR	30 HP THREE PHASE
FLAT DIE PELLET MACHINE	SA-PM50	1500 KG/HR	50 HP THREE PHASE



FEED MIXER

POWER - 2 HP MOTOR
CAPACITY - 100 KG PER BATCH



FEED MIXER

POWER - 3 HP MOTOR
CAPACITY - 150 KG PER BATCH



FEED MIXER

POWER - 3 HP MOTOR
CAPACITY - 200 KG PER BATCH



GRAIN/SEED CLEANING CUM GRADING MACHINE

[SA-WIN2]

POWER: 2 HP SINGLE PHASE

CAPACITY: 450-550Kg/Hr

SUITABLE FOR : ALL KINDS OF SEEDS &
GRAIN ITEMS

WINNOWER FAN

[SA-WIN1]

POWER: 1 HP SINGLE PHASE

OPERATION - MANUAL CUM

HAND OPERATED

CAPACITY: 450-550Kg/Hr



BUCKET ELEVATOR

[MODEL - SA-BE3]

POWER - 3 HP

CAPACITY - 200-1000 KG/HR

COMPATIBILITY - ALL SEED/GRAIN/
GRANULAR ITEMS



BRUSH CUTTER GX-35 POWER - 4 STROKE, BACKPACK



STANDARD ATTACHMENTS



2 TEETH BLADE



TAP & GO
ATTACHMENT



80 TEETH BLADE



PADDY GUARD

EXTRA ATTACHMENTS



WEEDER ATTACHMENT
TYPE 1



WEEDER ATTACHMENT
TYPE 1



WEEDER ATTACHMENT
TYPE 1



40 TEETH BLADE



TRIMMER



CHAIN SAW



RECOIL STARTER



3 TEETH BLADE

EARTH AUGER 63CC

POWER - 63cc

2 STROKE PETROL ENGINE

START: RECOIL

DRILL DEPTH: 2 FT

DRILL WIDTH: 4-12"





WATER PUMP (3*3)

MODEL - SA-WPK30 PRO

POWER - 7.5 HP PETROL ENGINE

FRAME - SQUARE FRAME

IRON CAMSHAFT

ALLUMINIUM CONNECTOR

HUAYI CARBURETTOR

LD SPARK PLUG

FULL HAND RECOIL HANDLE

THICK CRANK CASE

WATER PUMP (3*3)

MODEL - SA-WPK30

POWER - 6.5 HP PETROL ENGINE

FRAME - ROUND FRAME

NYLON CAMSHAFT



KNAPSACK SPRAYER

MODEL - SA-KS20

POWER - 35 CC 4 STROKE ENGINE

CAPACITY - 20 LTR TANK CAPACITY

BRASS NOZZLE

BANANA TREE CUTTER

[MODEL NO. SA-BTC1B]

SPECIFICATIONS

POWER - 3 HP MOTOR/7 HP ENGINE

CAPACITY - 900-1000 KG/HR

APPLICATIONS -

BANANA/VEGETABLES/SUGARCANE LEAVES ETC.



COW DUNG LOGGING MACHINE

MODEL NO. SA-CDM1

POWER - 3/5 HP

MATERIAL - MILD STEEL

LOG SHAPES - ROUND/SQUARE SHAPE

CAPACITY - 250 LOGS/HR



SNACKS EXTRUDER MACHINE

MODEL NO. SA-SE500

POWER - 5-10 HP (MOTOR/ENGINE)

CAPACITY - 30-40 KG/HR

NO. OF DIES - 16

NO OF SCREWS - 2

APPLICATIONS - RICE/WHEAT/CORN/RAGI/ ETC.





LINE TRENCHER MACHINE

[MODEL- SA-TR07]

POWER - 7 HP RATO PETROL ENGINE

START- RECOIL START

CHAIN - 42 PC

CUTTER - 21 PC

WORKING SPEED- 400 RPM

TRENCH SPEED - 60 MTR/HR

TRENCH WIDTH - 100 mm

MAX. TRENCH DEPTH - 450mm

LINE TRENCHER MACHINE

[MODEL- SA-TR150]

POWER - 15 HP PETROL ENGINE

TRENCH SPEED- 60 MTR/ HR

CHAIN-54 PC

CUTTER-27 PC

SPEED - 400 RPM

TRENCH SPEED- 60M/HR

TRENCH WIDTH- 100 MM

MAX. TRENCH DEPTH - 600 MM



WOOD CHIPPER/ SHREDDER MACHINE

[MODEL - SA-WC01]

POWER - 7 HP RATO PETROL ENGINE

CAPACITY - 200-250 KG/HR

MAX DIA - 70 mm

START - RECOIL START



MINI REAPER

MODEL NO. SA-PR550

POWER - 5 HP PETROL ENGINE

CAPACITY - 0.5 ACRE/HR

APPLICATIONS - WHEAT/

PADDY/SOYA/NAPIER

NO OF ROWS - 3 ROWS

POWER REAPER

MODEL NO. SA-PR70G

POWER - 7 HP PETROL ENGINE

CAPACITY - 0.5 ACRE.HR

NO. OF ROWS - 4 ROWS

**APPLICATIONS – WHEAT/
PADDY/SOYA/ NAPIER ETC.**



LIGHT WEIGHT REAPER

MODEL NO. SA-PR70Li

POWER - 7 HP PETROL ENGINE

CAPACITY - 0.5 ACRE/HR

APPLICATIONS - WHEAT/

PADDY/SOYA/NAPIER

NO OF ROWS - 4 ROWS





REAPER CUM BINDER

MODEL NO. SA-RB70GK

POWER - 7HP PETROL ENGINE

CAPACITY - 0.5 ACRE/HR

**APPLICATIONS - WHEAT/
PADDY/SOYA/NAPIER**

NO OF ROWS - 4 ROWS

REAPER HEAD

[FOR POWER WEEDER]

MODEL NO. SA-RH1000

POWER - 5 HP OR ABOVE WEEDER

CAPACITY - 0.5 ACRE/HR

NO. OF LINE - 3 LINE

TYPE - CHAIN TYPE



REAPER HEAD

[FOR POWER WEEDER]

MODEL NO. RBW-1000

POWER - 5 HP OR ABOVE WEEDER

CAPACITY - 0.5 ACRE/HR

NO. OF LINE - 3 LINE

TYPE - COUPLING TYPE



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SF-70P

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SF-70PH

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8

ENGINE COVER + HEADLIGHT



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SF-70PH ATV

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 21-7-8 ATV

ENGINE COVER + HEADLIGHT



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SF-70PHE

POWER - 7 HP PETROL ENGINE

START - ELECTRIC START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8

ENGINE COVER + HEADLIGHT



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SA-710PH ATV

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 21-7-8 ATV TYRE

ENGINE COVER + HEADLIGHT



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SA-710PH

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8

ENGINE COVER + HEADLIGHT



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SA-7000P ECO

POWER - 7 HP PETROL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8



POWER WEEDER

[POWER WEEDER 170F, 212CC]

MODEL : SA-7000P RATO

POWER - 7.5 HP PREMIUM RATO ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FWD, 1 REV

TYRE SIZE - 400*8



POWER WEEDER

[BACK ROTARY POWER WEEDER 170F, 212CC] PREMIUM RATO ENGINE

MODEL : SA-700RT

POWER - 7.5 HP PREMIUM RATO ENGINE

START - RECOIL START

ROTARY SHAFT - 3 Pc*3 GROUP DITCHING BLADE WITH 2 SIDE DISC

GEAR - CLOCKWISE & ANTICLOCKWISE

TYRE SIZE - 400*8



POWER WEEDER

[7HP, 170F PETROL ENGINE]
AIR CONDITIONER, DIGITAL RPM DISPLAY
DOUBLE HEADLIGHT
MODEL : SA-720PH
POWER - 7 HP PETROL ENGINE
START - RECOIL START
ROTARY SHAFT - 32 BLADES (2+1+1)+2 SIDE DISC
GEAR - 2 FORWARD, 1 REVERSE
TYRE SIZE - ATV TYRES 19-7-8



POWER WEEDER

[7HP, 170F PETROL ENGINE]
DOUBLE HEADLIGHT
MODEL : SA-730PHE
POWER - 7 HP PETROL ENGINE
START - ELECTRIC START WITH BATTERY
ROTARY SHAFT - 32 BLADES (2+1+1)+2 SIDE DISC
GEAR - 2 FORWARD, 1 REVERSE
TYRE SIZE - ATV TYRES 19-7-8



POWER WEEDER

[POWER WEEDER 170F, 212CC]
FRONT ROTARY
WITH PREMIUM RATO ENGINE
MODEL : SA-700FT
POWER - 7.5 HP PETROL ENGINE
START - RECOIL START
ROTARY SHAFT - 24 BLADE+2 SIDE DISC
TYRE SIZE - 400*8



MODEL	SA-FT20	SA-FT28	SA-FT38	SA-FT48	SA-FT38A	SA-FT48A
POWER	7 HP (170F) PETROL					
WORKING WIDTH	190 (mm)	270 (mm)	370 (mm)	470 (mm)	370 (mm)	470 (mm)
DITCHING DEPTH	180 (mm)					
TYPE	PUSH TYPE				SELF PROPELLED	



POWER WEEDER

[9 HP-177F]

MODEL : SA-910P

POWER - 9 HP

START - RECOIL START

ROTARY SHAFT - 40 BLADES (3+1+1) + 2 SIDE DISC

TYRE SIZE - 400x8 PNEUMATIC TYRES



POWER WEEDER

[9 HP - 177F]

MODEL : SA-910PE

POWER - 9 HP

START - ELECTRIC START

ROTARY SHAFT - 40 BLADES (3+1+1) + 2 SIDE DISC

TYRE SIZE - ATV TYRE - 21-7-8



POWER WEEDER

[9 HP 177FE]

[WITH ENGINE COVER FLASH LIGHT]

MODEL : SA-910PHE

POWER - 9 HP

START - ELECTRIC START

ROTARY SHAFT - 40 BLADE (3+1+1) + 2 SIDE DISC

TYRE SIZE - ATV TYRE - 21-7-8



POWER WEEDER

[190F 13 HP PETROL ENGINE]

ELECTRIC START WITH BIG BATTERY 36 AMP

MODEL : SA-1300PE

POWER - 13 HP PETROL ENGINE

START - ELECTRIC START

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV TYRE 21-7-8

LONG KAMA HANDLE



POWER WEEDER

[190F 13 HP PETROL ENGINE]

ELECTRIC START WITH BIG BATTERY 36 AMP

MODEL : SA-1300PHE

POWER - 13 HP PETROL ENGINE

START - ELECTRIC START

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV TYRE 21-7-8

ENGINE COVER HEADLIGHT ,LONG KAMA HANDLE



POWER WEEDER

[173F 7 HP DIESEL ENGINE]

MODEL : SA-610D

POWER - 7 HP DIESEL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400*8



POWER WEEDER

[173F 7 HP DIESEL ENGINE]

MODEL : SA-610DHE

POWER - 7 HP DIESEL ENGINE

START - ELECTRIC START WITH BATTERY

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 21-7-8 ATV TYRE

ENGINE COVER WITH HEADLIGHT

POWER WEEDER

[173F KAMA DIESEL ENGINE]

MODEL : SA-610KDHE

POWER - 7 HP DIESEL ENGINE

START - ELECTRIC START WITH BATTERY

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 21-7-8 ATV TYRE



POWER WEEDER

[186F 9 HP DIESEL ENGINE]

MODEL : SA-910D

POWER - 9 HP DIESEL ENGINE

START - RECOIL START

ROTARY SHAFT - 32 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - 400*8

POWER WEEDER

[186F 9 HP DIESEL ENGINE]
 PREMIUM RATO ENGINE
 MODEL : SA-9000D
 POWER - 9 HP DIESEL ENGINE
 START - ELECTRIC START (W/O BATTERY)
 ROTARY SHAFT - 40 BLADE+2 SIDE DISC
 GEAR - 2 FORWARD, 1 REVERSE
 TYRE SIZE - 500*12 PENUMATIC
 WITH ENGINE COVER & HEADLIGHT
 LONG KAMA HANDLE BAR



POWER WEEDER

[186F 9 HP DIESEL ENGINE]
 MODEL : SA-910DE
 POWER - 9 HP DIESEL ENGINE
 START - ELECTRIC START
 ROTARY SHAFT - 40 BLADE+2 SIDE DISC
 GEAR - 2 FORWARD, 1 REVERSE
 TYRE SIZE - 400*8

POWER WEEDER

[186F 9 HP PREMIUM KAMA DIESEL ENGINE]
 MODEL : SA-910KDE
 POWER - 9 HP DIESEL ENGINE
 START - ELECTRIC START WITH 36 AMP BIG BATTERY
 ROTARY SHAFT - 40 BLADE+2 SIDE DISC
 GEAR - 2 FORWARD, 1 REVERSE
 TYRE SIZE - ATV 21-7-8



POWER WEEDER

[186F 9 HP PREMIUM KAMA DIESEL ENGINE]
 MODEL : SA-910KDHE
 POWER - 9 HP DIESEL ENGINE
 START - ELECTRIC START WITH 36 AMP BIG BATTERY
 ROTARY SHAFT - 40 BLADE+2 SIDE DISC
 GEAR - 2 FORWARD, 1 REVERSE
 TYRE SIZE - ATV 21-7-8
 WITH HEADLIGHT, ENGINE COVER & LONG KAMA HANDLE BAR



POWER WEEDER

[188F 11 HP PREMIUM KAMA DIESEL ENGINE]

MODEL : SA-1100KDHE

POWER - 11 HP DIESEL ENGINE

START - ELECTRIC START WITH 36 AMP BIG BATTERY

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV 21-7-8

WITH HEADLIGHT, ENGINE COVER & LONG KAMA HANDLE BAR



POWER WEEDER

[188F 11 HP PRIMUM KAMA DIESEL ENGINE]

MODEL : SA-1106KDHE

POWER - 11 HP DIESEL ENGINE

START - ELECTRIC START (WITH 36 AMP BIG BATTERY)

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV 21-7-8

DIFFERENTIAL GEAR BOX-PRESS CLUTCH TO TURN

WITH ENGINE COVER & HEADLIGHT

LONG KAMA HANDLE BAR

POWER WEEDER

[192F 13 HP PRIMUM KAMA DIESEL ENGINE]

MODEL : SA-1300KDHE

POWER - 13 HP DIESEL ENGINE

START - ELECTRIC START (WITH 36 AMP BIG BATTERY)

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV 21-7-8

DIFFERENTIAL GEAR BOX-PRESS CLUTCH TO TURN

WITH ENGINE COVER & HEADLIGHT

LONG KAMA HANDLE BAR



POWER WEEDER

[192F 13 HP PRIMUM KAMA DIESEL ENGINE]

MODEL : SA-1306KDHE

POWER - 13 HP DIESEL ENGINE

START - ELECTRIC START (WITH 36 AMP BIG BATTERY)

ROTARY SHAFT - 40 BLADE+2 SIDE DISC

GEAR - 2 FORWARD, 1 REVERSE

TYRE SIZE - ATV 21-7-8

DIFFERENTIAL GEAR BOX-PRESS CLUTCH TO TURN

WITH ENGINE COVER & HEADLIGHT

LONG KAMA HANDLE BAR





SUN AGRO
FARMING FOR THE FUTURE



CORPORATE OFFICE

C/o Adarsh Service Station, G.E. Road
Supela, Bhilai, Chhattisgarh, 490020
Mob :- 7489931767 / 7489931774

BRANCH OFFICE

Odisha :-
447, Sunhat, Balasore, 756002 Odisha
Mob :- 9348258010

Haryana (Karnal)
Near Village - Srisi, District - Karnal
Haryana, Pin Code - 132037
Mob :- +91 9302447565



Web :- www.sunagrobhilai.com
Email :- sunagrobhilai@gmail.com